

TECHNICAL TOPICS

LUBE OILS – VERSION 2012

By Robert Patton and John Martin

A New Inquiry

Last October I received an e-mail from TDR member Desmond Rees:

I am looking for supplemental information following up John Martin's article from Issue 57 on engine oil. The August 2007 article is somewhat dated. With the switch to the new API requirements for EGR/DPF diesel engines, are there plans to revisit this topic regarding the best engine oils meeting the API CJ-4 requirement? John's article only looked at a handful of the CJ-4 oils and they ranked at the bottom of the pile when compared to the previous generation of oils. Thanks.

Desmond Rees

My response: Prior to Desmond's letter, there were no plans to revisit the topic. However, it has been five years and oils do change. I will purchase and test the CJ oils and John can comment on the data. We will see if John's previous conclusion holds: "If it meets a spec, it becomes a commodity. Low price can be the purchase criteria. Change the oil based on the Owner's Manual recommendations."

Thanks to Desmond for the letter.

Background Information

It seems like just yesterday that I met lube oil expert John Martin and we collaborated on a series of articles about lube oils.

Ouch! As Desmond reminded me, "yesterday" was Issue 54 of the TDR, which was published in December of 2006. The four-part series that we wrote took a year to complete.

The reason behind the year-long series of articles was the forthcoming change from lube oil category CI+4 (an industry specification that was implemented in 2002) to the new category CJ. The CJ formula of oil was developed for the lower diesel exhaust emissions engines that were being implemented starting 1/1/2007.

I wondered how the lube oil would change. John Martin was the guy to tell me. (More about John in just a minute.)

In a lengthy telephone conversation he shared his opinion about the forthcoming CJ lube oil specification. Bottom line: John felt that the CI+4 oils were some of the best to come out of the respective refineries. In his discussions with those in the oil business, he had formed the opinion that the new CJ oils would not necessarily be new-and-improved.

As I noted, the CJ formula was developed for the new lower emissions diesel engines. From John I understood that the CJ oil would not necessarily be new-and-improved. Without analysis of the lube oils, I asked John what were the proposed changes from the highly acclaimed CI+4 to the new CJ oils. His response: "Robert, this is a lengthy topic, but it is very important for the audience to understand what is happening in the oil business." So, I looked back to Issue 54 and made a couple of tweaks to its contents. The following is the updated text that gives you the insight that you need to understand the CI+4 to CJ change.


A Little Lube Oil History

Before we talk about what the additive industry and the oil companies have done to meet the EPA's latest directive, we need a brief lube oil history lesson. Years ago diesels were operated on refined crude oils containing virtually no additive chemistry. As power density increased oil companies found they needed to add specific chemical compounds to the oil to provide performance attributes that crude oils couldn't deliver. The additive industry was born.

Traditionally, each new diesel engine oil specification was issued because available oils couldn't provide the lube oil performance needed. For example, API CE was issued to create oils which solved an oil consumption problem in Cummins NTC-400 engines. For fifty years each new diesel engine oil specification meant a better performing diesel engine oil was available—all the way from API CD to API CI+4.

Today diesel engine oils look like the example shown in figure 1. From 20 to 30% of modern diesel engine oil is additives designed to improve performance in key areas. These additives are carefully engineered mixtures of compounds formulated to pass the various diesel engine tests which define a new lube oil specification like the CI+4 or the new CJ.

Typical Diesel Oil Composition



- | | |
|-------------------------|--------|
| • Base Oils: | 69-80% |
| • Performance Package | 15-20% |
| • Viscosity Modifier: | 5-10% |
| • Pour Point Depressant | 0-1% |

Pour point depressants are used to keep the oil fluid at very low temperatures. (They inhibit wax crystal formation.) Viscosity modifiers are used to make the oil thin out less as it is heated. This makes an oil which we call "Multigrade" and it simply means the multigrade oil acts like a thinner oil at low temperatures and a thicker oil at high temperatures. Multigrade diesel engine oils were a key part of the solution to the excessive oil consumption problem addressed by API formulation CE.

The performance additive package (see figure 2) is a mixture of 8-12 specialty chemicals, each of which is intended to impart specific properties to the oil's performance. The important thing to remember here is that most additive chemicals (particularly detergents) deplete or wear out in service. This is one of the reasons why the oil must be changed. Life was good.

Typical Diesel Oil Performance Package	
<ul style="list-style-type: none"> • Detergents Neutralize Combustion Acids Minimize Wear Inhibit Rust Formation Oxidation Inhibitor 	<ul style="list-style-type: none"> • Oxidation Inhibitors Retard Oil Decomposition Slow Deposit Formation
<ul style="list-style-type: none"> • Dispersants Prevent Agglomeration of Soot Particles Suspend Contaminants in Oil 	<ul style="list-style-type: none"> • Anti-Wear Agents Create Sacrificial Film Between Metal Parts Minimize Valve Train Wear
	<ul style="list-style-type: none"> • Foam Inhibitors Prevent Oil Foaming

What Did the EPA Do To Us/Why Do We Need CJ-4 Oils?

First, let's discuss why this new oil was developed. The EPA tightened their exhaust emissions thumbscrew on diesel engines starting January 1, 2007, to reduce particulate matter (PM) and oxides of Nitrogen (NO_x) emissions even further. To meet those requirements most diesel engine manufacturers resorted to the use of diesel particulate filters (DPFs). A DPF differs from the catalytic converters we have used for years on gasoline engines in that a DPF actually filters the *entire* diesel exhaust stream.

On the surface you wouldn't think this would be a big deal—Europeans have been using DPFs for years. The difference is that Europeans don't accumulate mileage like Americans and they will tolerate much more frequent service intervals. Our EPA has decreed that the new DPFs must go 150,000 miles before needing removal for cleaning. This means the soot collected in the DPF must be burned off in the exhaust system frequently if trap life is to exceed 150,000 miles without removal and cleaning.

Now, don't take me wrong—I'm for a cleaner environment like everyone else is. The problem with the EPA is that they just decree which emissions will be reduced without once considering the cost, the technology needed or its effect on your operation. They refer to that as "Technology Forcing Legislation." In the case of diesel engine oils, the EPA forced the adoption of a low-sulfate ash, phosphorus, and sulfur (low SAPS) oil whose technology hasn't yet been proven extensively in the field.

I don't have to tell you that diesel exhaust is relatively dirty. It consists of lots of soot (That's what turns your oil black!) and unburned residues from both the fuel and the oil. Sulfur in the fuel can significantly hamper DPF performance. That's why the ultra low sulfur diesel (ULSD) fuel was implemented 1/1/2007. Phosphorus and sulfur in the lube oil can shorten DPF cleaning intervals considerably. Phosphorus (P) can "glaze over" and plug the tiny holes in the DPF, making the openings effectively smaller and quicker to plug. Sulfur (S) can "mask" the DPF, making it temporarily less effective. Sulfated Ash (SA) in the lube is thought to build up deposits on the DPF over time. These deposits that originate from diesel fuel and lube oil then make the DPF effectively smaller and quicker to plug.

What does this mean to you?

Low P means the Feds placed a limit on the amount of Zincdithiophosphate (ZDP) additive which can be utilized. ZDP is the most effective oxidation inhibitor and anti-wear agent currently available. Additive manufacturers are now forced to use more expensive and less effective ashless oxidation inhibitors and anti-wear agents.

Low S means the new oils can't rely on some of the least expensive Sulfur-based oxidation inhibitors used in the past. And, once again, many of the new ashless oxidation inhibitors haven't been thoroughly field proven in heavily loaded trucks. Low S also means more highly refined base oils, which is a positive thing. Average base oil quality is now significantly improved.

Low SA (less than 1 percent weight) effectively places a limit on the amount of detergent which can be used in these oils. But diesels love detergents. In over 25 years of inspecting various diesel engines in the field, I've yet to see one which didn't perform better on oils with higher levels of detergency.

So, What Oil Should I use?

If you have a diesel engine equipped with a DPF, you should probably use API CJ-4 oils. You really don't have a choice unless you want to clean your particulate trap more frequently. Pay particular attention to oil change intervals.

I know that the major oil marketers are telling their customers that CJ-4 oils are backward compatible (you can use them in pre-2007 engines), and that is somewhat true. But if you use less detergent in an oil, your oil change interval should be shortened accordingly. Oil marketers don't care if you have to change your oil more frequently—in fact, they love it! Remember oil companies are really in the business of moving as much base oil as possible. They love short oil change intervals.

In closing, remember to change your oil as frequently as possible, so we all can generate some more profits for those poor oil companies.

John R. Martin
TDR Writer

More About the Previous Series of Articles

Way back in Issue 54 I asked John how we might test the CI+4 oils and the new CJs. His response: "That's easy: You spend the \$25 for a complete oil sample evaluation. Be sure the test includes total base number (TBN) and viscosity—and send me the results. Don't tell me what is what. Let's see if there is an obvious difference and let's see who makes the best lube oil(s). Who knows what we will find. Will purchasing a lube oil be as easy as purchasing a commodity? You know, as long as it meets a specification then it is 'good,' therefore you can shop for your lube oil based on price."

Answers to these questions gave me the basis for an excellent article. So, the oil analysis kits were purchased, \$25 x 22 kits (\$550) and I went on a shopping spree for oil, \$15 x 22 oils (\$330). A cool \$880, just so John and Robert would know about lube oils.

Earlier I stated that John was the oil expert. Prior to retirement he was an engineer at Lubrizol, one of the companies that makes and sells the additive packages to the oil manufacturers. And, at John's stage in life, he was/is not beholden to anyone in the industry.

So, what conclusions could one draw from the year-long Martin and Patton examination of 22 different diesel lube oils? I've talked to many TDR members about the series of articles and each one has shared with me their own unique conclusion. Didn't we all read the same article?

I have often stated that, "changing a person's opinion about lube oils is like trying to change their opinion about religion. It is not going to happen." My take-away from the year long, \$880 expenditure (oops... perhaps John Martin has brainwashed me) is as follows:

Back in 1999, it took a series of oil analyses samples before I was comfortable changing my 3,000 mile change-the-lube-oil/guy-on-TV mentality. Then again, it took a series of 22 oil samples to change my mentality concerning lube oil by brand name versus lube oil as a commodity.

I'm on the same page as John Martin; if it meets the specification you can purchase oil like a commodity. Change the oil based on the Owner's Manual recommendations.

LUBE OILS – VERSION 2012

Questions for 2012

So, the long answer to Desmond Rees has thus far taken 2.5 pages! However, I felt the background data was necessary before we just jumped into "Lube Oils—Version 2012." The following are the questions I wanted John to help me answer:

- Q1** Could I find the good stuff, an old CI-4 specification oil?
- Q3** Who has the best "John Martin" oil for 2012?
- Q2** How would the CJ-4 oils blended today compare with the same oil that we sampled back in the summer of 2007?
- Q4** What has changed in the world of John Martin in these past five years?

The Oil Analysis for 2012

As mentioned, back in 2007 we tested 22 different brands of lube oils: everything from Amsoil to Walmart; Caterpillar to John Deere; Red Line to Liqui Moly. The prices ranged from low of Walmart's Super Tech at \$7.68 per gallon to the high of Red Line Diesel Synthetic at \$35 per gallon. If you want the complete list of CI-4 plus and CJ-4 oils that were tested you'll want to look back at Issue 58, pages 52 and 53.

Why 22 oils back then and only 10 oils for 2012? Remember my comment about lube oils, religion and the change of opinion? Well, my opinion has been changed! How so? A look back at Issue 56 gives you some insight into my mindset prior to the testing of the 22 lube oils. Here is the recap:

"When new lube oil is analyzed you can get a good idea of the quality of the additive package that, as learned from Martin's experience, makes up 20–25% of the lube oil blend. Maintaining viscosity at higher temperatures, maintaining high alkalinity (total base number); and protecting against wear with the right blend of molybdenum, zinc, phosphorus and boron are important lube oil attributes. Readings for calcium are a way to measure dispersion detergency.

"In the blind-sampling-from-the-bottle done by Trailer Life magazine in January 2005, I was greatly disappointed to see that Walmart Super Tech 15W40 diesel oil stood toe-to-toe with other very respected brand names.

"Why disappointment? First, consider what John Martin said, 'Consequently there is less and less difference between engine oil that barely passes the API certification test and one that is designed to pass by a significant margin. Therefore, oils meeting a given performance spec are approaching commodity status.'

"Second, I am not a big fan of Walmart. I could go into a long tirade, but I will refrain.

"Third, for all of my vehicle ownership years (let's see, that is about 37 years) had I been duped? Had I fallen for the marketing hype? I did not want to believe that lube oil is just a commodity. Yet the Trailer Life grid did not lie."

What story did the forthcoming TDR grid tell?

*Had I fallen for the marketing hype?
I did not want to believe that
lube oil is just a commodity*

The previous 22 brand oil test did give me an education. For 2012 I did not feel the need to test every lube oil in the marketplace. As a matter of fact, I only went to two places for the various oils, Autozone (where each oil was priced at \$17.99) and Walmart. The following is the blind sampling data:

Lube Oils – Version 2012

Product Identification Chart			
Item	Product	Viscosity	Price
1	Mobil 1 (Syn)	5W40	\$26.33
2	Motorcraft	15W40	20.99
3	Walmart	15W40	10.97
4	Mobil Delvac	15W40	17.99
5	Chevron Delo	15W40	17.99
6	Valvoline	15W40	17.99
7	Shell Rotella	15W40	17.99
8	Castrol Tecton	15W40	17.99
9	Warren	15W40	14.99
10	Shell Rotella (Syn)	5W40	27.99

Sample Description	Viscosity @ 100°	TBN	Calcium	Magnesium	Phosphorus	Zinc	Boron	Molybdenum
1	14.1	8.84	1050	777	975	1110	82	0
2	15.5	8.17	2183	9	1053	1152	3	1
3	15.1	8.69	1135	783	1020	1172	0	40
4	14.7	9.27	1299	837	941	1069	64	48
5	16.5	8.19	1412	395	1084	1250	503	89
6	15.5	9.15	1171	970	1088	1202	0	43
7	15.0	9.03	2209	10	1039	1156	35	0
8	15.1	9.09	2305	10	1077	1169	58	0
9	15.5	8.7	1134	787	1017	1169	0	40
10	14.3	9.22	770	1119	994	1171	60	58

And now, the answers for Lube Oils – Version 2012:

A1) I could not find any CI-4 lube oil.

A2) I'll turn this answer over to John Martin. John's response:

Robert and TDR audience, remember my often-used statement, "Diesels Love Detergents"? It appears from the oil analysis data that Samples 4, 5, 6, 7, 8, and 10 all have total base numbers (TBN) in excess of 9, which suggests to me that these oil marketers are trying to provide as much TBN as possible given the 1.0% weight sulfated ash limitation imposed by the API CJ-4 specification. They are doing this to satisfy those fleets whose oil change intervals are based on TBN depletion.

Samples 2 and 5 have the least amount of detergency of the oils tested. Sample 5 uses either a borated detergent or a boron-containing oxidation inhibitor. Borated detergents are thought by some to be more effective than traditional detergents. It is also possible that data in the last two columns for sample 5 has been transposed. **(Editor's note: the 503 and 89 numbers are as printed by the lab.)**

My field test experience has taught me that calcium (Ca) detergents are more effective than magnesium (Mg) detergents, so, to answer question 2, "Who has the best oil for 2012?" I think oils 7 and 8 would be the best of the oils you surveyed. Oils 4, 6, and 10 also have high TBN values for CJ-4 oils, but they depend heavily on magnesium detergents, so I don't think they would yield diesel performance as good as oils 7 and 8.

Oils 1, 4, 5, 7, 8, and 10 all contain boron, but I'm certain that the additive chemistry in sample 5 is different than the others (or the last two columns of data for sample 5 have been transposed). Boron

oxidation inhibitors are evidently being utilized to improve the high temperature performance of these CJ-4 oils.

Now, if you allow me to look at the number-to-product identification report I can tell you that oil 5 has been completely reformulated, and I know why. Chevron Delo 400 is the most widely used oil in big trucking fleets. When CJ-4 came about, fleet operators told Chevron they preferred the old CI-4 oil, particularly when they found out that Chevron was going to ask more money for their CJ-4 oil. Neither Chevron nor the fleets would budge off their positions, and big marketers like Chevron only want one oil in their distribution systems. Chevron went back to the drawing board, reformulated, and retested until they could pass the API CI-4 tests with a CJ-4 oil. Then they dropped both earlier oils out of their systems and offered only the new, improved CJ-4 oil. I wonder if the big fleets paid them more money for the new oil?

Mobil and Shell also supply a lot of oil to truckers. If you compare sample 1 (a consumer oil, Mobil 1 synthetic) with sample 4 ((Mobil Delvac) you can see that Mobil added more detergency to oil 4 (Ca and Mg) to give their big fleets increased TBN and keep them happy. Fleets wouldn't use the Mobil oil in Sample 1. The Shell samples (7 and 10) are also very interesting. Shell is using different additive chemistry in their 15W40 (Rotella mineral, sample 7) than in their 5W40 (Rotella synthetic, sample 10). I'm guessing that the big fleets are mostly purchasing oil 7. I do not know why the chemistry is so different in oil 10, other than perhaps another additive supplier was able to pass the tests, allowing Shell to get the credentials they desired.

So, once again, my picks are oils 7 and 8. If you religiously adhere to your manufacturer's recommended oil change intervals, oil 3 would be the best performer on a cost per mile basis. Oils 1, 2, and 10 offer the highest cost per mile, so I would avoid them altogether.

A3) Now, let's compare the 2007 oils to the 2012 oils. I asked Robert to save you from going back to Issue 58 and present a comparison chart for you.

The CJ-4 Lube Oils Tested in Issue 58 were:

Shell Rotella T	15W40
Castrol Tecton	15W40
Chevron Delo 400 LE	15W40
Cummins/Valvoline Premium Blue	15W40

The following chart gives you the "Then and Now" candidates:

Price	Description	Viscosity @ 100°	TBN	Calcium	Magnesium	Phosphorus	Zinc	Boron	Molybdenum
\$10.96	Shell Rotella T	15.7	8.77	2488	8	1108	1147	37	2
17.99	Same 2012	15.0	9.03	2209	10	1039	1156	35	0
10.80	Castrol Tecton	14.7	7.74	2011	6	876	1035	0	0
17.99	Same 2012	15.1	9.09	2305	10	1077	1169	58	0
12.99	Chevron Delo 400 LE	15.7	7.82	1593	416	1156	1268	83	570
17.99	Same 2012	16.5	8.19	1412	395	1084	1250	503	89
9.98	Cummins/Valvoline	15.6	8.42	1109	827	994	1041	0	41
17.99	Same 2012	15.5	9.15	1171	970	1088	1202	0	43

Now, to compare the 2012 results to the 2007 table, it appears that Shell has dropped their ZDP content by 10% in oil 7. Before interpreting data from this type of analysis remember that repeatability of these numbers is no better than 10%. Looking at the data in that light, two things could have happened in the last five years. Either the ZDP level could have been dropped 10% to enable Shell's additive supplier to put more detergent in the oil to increase TBN levels, or the data is on the outer edge of the repeatability limits. When comparing today's Shell oils, it looks to me like Shell may be using a different ZDP than they did in 2007.

But, audience, did you notice from your 2007 to 2012 comparative data that all of the oils cost more in 2012? Whether or not the oil marketer changed his initial CJ-4 formulation, he has managed to use the new credentials as a vehicle to raise the selling price of their oils significantly. As I said before, I don't know if oil marketers are getting more for their CJ-4 oils at major fleets, but they are certainly getting more from retail consumers. **(Editor's note: I looked back to November 2007 and a barrel of crude oil was \$88, today it is \$106.)** You and I get to pay for everything!

A4) What has changed in John Martin's world in the last five years?

For one thing, I spend much more time researching alternate fuels than diesel lube oils these days. Everyone wants to just jump into the future, be green and reduce our dependence on foreign sources of crude oil without even considering what these moves will do to the poor people who design the vehicles and systems that will have to make that happen.

For example, the public is finally beginning to discover that corn-based ethanol containing fuels (one of the worst jokes of the modern era) are actually worse than gasoline regarding greenhouse gas (GHG) emissions. It has taken the do-gooders billions of our tax dollars to discover what they've been told long ago by fuels researchers. The California Air Resources Board (CARB), a bastion of the most radical environmentalists in the world, has actually had their low carbon fuel standard (LCFS) overturned by a Federal judge.

Secondly, remember how the do-gooders tell us we should all be driving the Toyota Prius (Pious)? The latest GHG emissions research has shown that power plants are responsible for more GHG emissions than transportation vehicles. Where did the do-gooders think that electricity was coming from? Was it magic? Left-wing environmentalists never let facts get in the way of a good story. These are the same radicals who are currently stalling the Keystone pipeline project which could bring much needed crude oil from the North to refineries on the Gulf Coast. After the OPEC countries, China, and Hugo Chavez purchase all that valuable Canadian crude, we will decide to build the pipeline. Our environmentalists are getting to the point where they are very destructive. (My political rant is over. Don't send the editor hate mail.)

Our next new diesel lube oil spec (currently called PC-11) will occur sometime around 2015. The Federal government recently decreed that diesel trucks must provide significantly better fuel economy by 2016. The Engine Manufacturers Association (EMA) has already asked the lube oil industry for some improved fuel economy (FE) oils by 2015 so they can be field tested prior to production. Since the major fuel economy differences are observed by lowering oil viscosity, expect to see some very thin (5W30, 5W20) diesel oils in 2015. Very thin oils probably won't work well in current engines. (More about that in future TDR magazines?) This, too, won't be as easy as the EPA activists think it will be, but, as long as your tax money will hold out, they will be asking you to finance this research.

John Martin
TDR Writer

MAG-HYTEC



Heavy Duty Transmission Pans and Differential Covers



**Often Copied,
Never Duplicated
818.786.8325**



- ✓ Magnetic dipstick
- ✓ Magnetic drain plugs
- ✓ Cast Aluminum A356-T6
- ✓ 25 to 50° Heat reduction
- ✓ Quicker, cleaner maintenance
- ✓ Tapped for temperature probe
- ✓ ARP O-rings on Most applications
- ✓ Adds Strength and rigidity up to 90%
- ✓ Longer service intervals



Just Released 45RFE



www.mag-hytec.com